

TruDefinition® **DURATION®**Shingles with SureNail® Technology







DEEP DIMENSION OUTSTANDING PERFORMANCE



With TruDefinition® Duration® Shingles, you don't have to sacrifice beauty for durability. Multiple granule colours and shadowing work together to create rich colour and depth, resulting in a truly unique and dramatic effect. Available in popular colours with bold, lively contrast and complementing shadow lines for greater dimension, they ensure your home's roof looks as spectacular as it performs.

Beyond the impressive curb appeal, TruDefinition® Duration® Shingles feature the outstanding grip and exceptional wind performance of SureNail® Technology.


Duration® Shingles offer:

- The high-performance of SureNail® Technology
- A TruDefinition® Colour Platform
- A Limited Lifetime Warranty*/‡ for as long as you own your home
- The protection of a 209-KM/H (130-MPH)* wind warranty
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{2/§}
- Rated Class 3 for Impact Resistance³ and may qualify for a homeowner insurance discount⁴



Don't let black streaks lower the value or curb appeal of your home.

Owens Corning blends specialized copper-lined granules, developed by 3M, a leading producer of roofing granules, into our colourful shingles. This helps resist blue-green algae growth.*






THE PROOF IS IN THE PERFORMANCE

Proven performance is what truly sets Owens Corning® architectural shingles above the rest. We brought our Duration® Series shingles into the lab to test their performance against wide, single-layer nail zone shingles in three major strength tests. And in each test, the Triple Layer Protection® of SureNail® Technology outperformed the competition where it matters most—in the nailing zone.

Duration® Series Shingles vs. top two competitors†







NAIL PULL-THROUGH

NAIL BLOW-THROUGH

DELAMINATION RESISTANCE

BETTER

TruDefinition® **DURATION®**

Shingles with SureNail® Technology





Brownwood¹





Driftwood1





Onyx Black¹



Sierra Gray¹




Slatestone Gray¹



Williamsburg Gray¹

COLOUR DISCLAIMER


As colour experts, we know getting the shingle colour right is a big part of any roofing purchase. Due to printing colour variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your colour choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.





TOTAL PROTECTION SIMPLIFIED™

It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to perform in three critical areas. The Owens Corning® Total Protection Roofing System®* gives you the assurance that all of your Owens Corning® roofing components are working together to help increase the performance of your roof.



ADD COMFORT AND ENERGY PERFORMANCE

PINK® FIBERGLAS® BLOWN-IN ATTIC INSULATION



OWENS CORNING ROOFING AND ASPHALT, LLC ONE OWENS CORNING PARKWAY TOLEDO, OHIO, USA 43659

1-800-GET-PINK® www.owenscorning.ca

Pub No. 10015467-L Printed in Canada. October 2023.

THE PINK PANTHER™ & © 1964 – 2023 Metro-Goldwyn-Mayer Studios Inc.

All Rights Reserved. The colour PINK is a registered trademark of Owens Corning.
© 2023 Owens Corning. All Rights Reserved.

Product Attributes

Warranty Length*

Limited Lifetime[‡]

(for as long as you own your home)

Wind Resistance Limited Warranty*

209 KM/H (130 MPH)

Algae Resistance Limited Warranty*

25 Years^{2/§}

TRU PROtection® Non-Prorated Limited Warranty* Period

STREAK**GUARD**

10 Years

TruDefinition Duration Shingles Product Specifications

Size	13¼" x 39%"
Application Exposure	5%"
Shingles per Bundle	Not less than 20
Average Shingle Count per 3 Bundles	64
Average Coverage per 3 Bundles	98.4 sq. ft.

Applicable Standards and Codes

CSA A123.5
ASTM D3462
ASTM D228
ASTM D3018 (Type 1)
ICC-ES AC438#
ASTM D3161 (Class F Wind Resistance)
ASTM D7158 (Class H Wind Resistance)
ASTM E108/UL 790 (Class A Fire Resistance)
UL 2218 (Class 3 Impact Resistance) ³
FM 4473 (Class 3 Impact Resistance) ³
PRI ER 1378E01

- * See actual warranty for complete details, limitations and requirements.
- ‡ 40-Year Limited Warranty on commercial projects.
- + Owens Corning testing against competing products with wide, single-layer nailing zones when following manufacturers' installation instructions and nailing in the middle of the allowable nailing zone.
- ** Tru-Bond® is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning Roofing® and Asphalt, LLC.
- + The amount of Triple Layer Protection® may vary on shingle-to-shingle basis.
- # International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.
- * Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.
- $\,{\rm 1}\,$ See Colour Disclaimer information for additional details.
- 2 Shingles are algae resistant to control the growth of algae and discolouration.
- 3 Qualifying Owens Corning Hip & Ridge Shingles may be required to complete a UL 2218 and/or FM 4473 Class 3 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.
- 4 Homeowners should check with their insurance company to see if they qualify. SureNail® Technology is not a guarantee of performance in all weather conditions
- § This coverage is effective 01/01/2023; Installation must include use of an approved Owens Corning® Hip & Ridge Shingle product. See actual warranty for details.

For Patent information, please visit owenscorning.com/patents.

SureNail® Technology is not a guarantee of performance in all weather conditions